

L Number	Hits	Search Text	DB	Time stamp
-	0	fus with metal with transparent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/24 16:12
-	61	fuse with metal with transparent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 10:35
-	1	fuse with metal with transparent with (light adj emitting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/24 18:12
-	2	06188150.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/24 18:17
-	79	29/25.03.ccls. and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 06:28
-	14	29/25.03.ccls. and fuse and light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 06:37
-	5	29/25.03.ccls. and fuse and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 06:37
-	213	fuse and display and (transparent adj electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 08:20
-	0	(passive adj organic adj light adj display) and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 08:20
-	0	(organic adj light adj display) and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 08:21
-	241	(light adj display) and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 08:27
-	0	(light adj (display or emitting)) and (over adj current adj protection) and (transparent adj electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 08:29
-	0	(light adj (display or emitting)) and (over adj voltage adj protection) and (transparent adj electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 08:29
-	230	(light adj (display or emitting)) and (over adj voltage adj protection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/25 08:30

-	150	(light adj (display or emitting)) and (over adj current adj protection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:30
-	9	(light adj (display or emitting)) with (over adj voltage adj protection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:32
-	8	(light adj (display or emitting)) with (over adj current adj protection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:30
-	13	(light) with (over adj (voltage or current) adj protection) and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 08:32
-	1	fuse with (metal adj electrode) with (transparent adj electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 10:37
-	66	fuse and (metal adj electrode) and (transparent adj electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 11:28
-	40	fuse and ((metallic or al or aluminum) adj electrode) and (transparent adj electrode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 11:37
-	1	4963788.pn. and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:41
-	0	404315419.pn. and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:41
-	0	0404315419.pn. and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:42
-	0	4043154190.pn. and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:44
-	0	jp404315419.pn. and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:45
-	0	jp0404315419.pn. and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:45
-	0	jp0404315419.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:45

-	0	jp404315419.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:45
-	0	404315419.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:46
-	0	404315419.fref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:46
-	0	0404315419.fref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:47
-	0	0404315419.frpn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:47
-	0	404315419.frpn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/25 12:47